

STOCK PROGRAM

en



SHIPPING AND TRANSPORT LOGISTICS

- > Uniquely high supply availability
- > Central warehouse with fully automated warehouse management system in Schlins (AT)
 - more than 10.000 storage places
 - storage of over 3.000 items
- > International logistics agreements with forwarding companies for main supply zones
- > Customer-specific logistics solutions such as
 - guaranteed stock availability for mutually agreed items
 - individual transport logistics for small-scale deliveries



ASTM STANDARDS – FERRITIC STEELS

	Material	Standard	½"	1"	2"	3"	4"	6"	8"	10"	12"	14"	16"	18"	20"	24"	28"	30"	36"		
			21	34	60	89	114	168	219	273	324	355	408	457	508	610	711	762	914		
☒	WPB/P265GH	ASME B 16.9																			SR/LR
	WPL6	ASME B 16.9																			LR
	WP11	ASME B 16.9																			LR
☒	WPB/P265GH	ASME B 16.9																			equal a. red.
	WPL6	ASME B 16.9																			equal a. red.
☒	WPB/P265GH	ASME B 16.9																			conc. a. exc.
	WPL6	ASME B 16.9																			conc. a. exc.

ASTM STANDARDS – AUSTENITIC STEELS

	Material	Standard	½"	1"	2"	3"	4"	6"	8"	10"	12"	14"	16"	18"	20"	24"	28"	30"	36"		
			21	34	60	89	114	168	219	273	324	355	408	457	508	610	711	762	914		
☒	WP 304L-S	ASME B 16.9																			LR
	WP 316L-S	ASME B 16.9																			LR
	UNS S31803/32205-S*	ASME B 16.9																			LR
	UNS S32750-S*	ASME B 16.9																			LR
☒	WP 304L-S (W)	ASME B 16.9																			equal a. red.
	WP 316L-S (W)	ASME B 16.9																			equal a. red.
	UNS S31803/32205-S*	ASME B 16.9																			equal a. red.
	UNS S32750-S*	ASME B 16.9																			equal a. red.
☒	WP 304L-S (W)	ASME B 16.9																			conc. a. exc.
	WP 316L-S (W)	ASME B 16.9																			conc. a. exc.
	UNS S31803/32205-S*	ASME B 16.9																			conc. a. exc.
	UNS S32750-S*	ASME B 16.9																			conc. a. exc.

* Austenitic-ferritic steels

PRODUCTS FOR GAS APPLIKATIONS; STD + XS + 0.625" + 0.750" + 1.000"

	Material	Standard	2" 60	3" 89	4" 114	6" 168	8" 219	10" 273	12" 324	14" 355	16" 408	18" 457	20" 508	24" 610	28" 711	30" 762	36" 914	42" 1067		
⤵	WPB	ASME B 16.9																		LR/R=3D
	WPL6	ASME B 16.9																		LR/R=3D
	CSA 359	CSA Z245.11																		LR/R=3D
	WPHY-42	MSS SP-75																		LR/R=3D
	WPHY-52	MSS SP-75																		LR/R=3D
	WPHY-60	MSS SP-75																		LR/R=3D
	WPHY-65	MSS SP-75																		LR/R=3D
	WPHY-70	MSS SP-75																		LR/R=3D
⤴	WPB	ASME B 16.9																		equal a. red.
	WPL6	ASME B 16.9																		equal a. red.
	CSA 359	CSA Z245.11																		equal a. red.
	WPHY-42	MSS SP-75																		equal a. red.
	WPHY-52	MSS SP-75																		equal a. red.
	WPHY-60	MSS SP-75																		equal a. red.
	WPHY-65	MSS SP-75																		equal a. red.
	⚠	WPB	ASME B 16.9																	
WPL6		ASME B 16.9																		conc. a. exc.
CSA 359		CSA Z245.11																		conc. a. exc.
WPHY-42		MSS SP-75																		conc. a. exc.
WPHY-52		MSS SP-75																		conc. a. exc.
WPHY-60		MSS SP-75																		conc. a. exc.
WPHY-65		MSS SP-75																		conc. a. exc.



We guarantee fast and reliable processing of all customer inquiries.

Erne Fittings has obtained the world's broadest range of safety-related approvals, including the following:

ABSTRACT CUSTOMER APPROVALS

> ADMA-OPCO	> Enterprise Products	> NORSOK	> Shell
> ADCO	> ExxonMobil	> OMV	> Snam Rete Gas
> AREVA	> Fluor	> ONGC	> Spectra Energy
> BASF	> GASCO	> OXY	> Suncor
> BP	> Gasunie	> PDO	> SWCC
> Chevron	> GDF SUEZ	> Pemex	> Syncrude
> Conoco Phillips	> Kinder Morgan	> Petronas	> Total
> Dow	> KNPC	> Qatar Petroleum	> Wacker Chemie
> El Paso	> KOC	> SABIC	> Williams
> Enbridge Pipelines	> Marathon Oil	> Saudi Aramco	> Zadcó
> Energy Transfer	> NNSA	> Saudi Electricity Company	

ABSTRACT CERTIFICATIONS

> EN ISO 9001
> PED 2014/68/EU
> AD Merkblatt 2000
> DNV-GL
> Canadian Registration



